FORM B.

Return showing the description and weight of all yarn spun in the Cotton Mills in the Mysore State during the month ending 31st December 1939.

Count of yarn	Weight in pounds of each count	Count of yarn	Weight in pounds of each count	Count of yarn	Weight in pounds of each count
2s	11,192	16s	46,000	44	17,828
4s	16,065	16½s	6,584	50	2,389
6s	2,198	18s	4,351		
6½s	56,556	19s	1,41,937		
8s	30,794	20s	3,18,077		
8½s	1,43,065	20½s	45,010		
9s	40	21	92,430		
10s	2,918	22	22,623		
10½s	1,66,573	24s	65,608		
11s	48,154	26s	23,724		
11½s	32,527	27s	4,100		
12s	18,472	28s	13,022		
12½s	92,271	30s	35,009		
13½s	680	32s	23,498		
14s	57,786	36s	12,584		
14½	1,52,818	38s	5,609		
15s	2,53,250	40s	38,547		
		42s	6,127	Total ...	20,10,956

BANGALORE,
Dated 25th January 1940.

V. VENKATACHAR,
For *Director*.

MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE FOR THE WEEK ENDED THURSDAY, JANUARY 25, 1940.

A total of 11 attacks with 7 deaths from Plague was returned during the week against 15 attacks with 7 deaths in the previous week. The Cities of Bangalore and Mysore and Kolar Gold Field area continued to remain free from the disease. Comparative figures for the corresponding weeks in 1939 and 1938 were 17 attacks with 13 deaths and 51 attacks with 24 deaths, respectively.

A total of 5 attacks with 4 death from Small-pox was reported from the Cities of Bangalore and Mysore and from Kolar Gold Field area.

A fatal case of Influenza was reported from Mysore City.

The State remained free from Cholera and Relapsing Fever.

The total mortality for Bangalore City amounted to 127 (25 in hospitals), representing a calculated death-rate of 29·6 (23·8 excluding hospital deaths), per mille of population as against 24·1 for the corresponding week of last year. Classified according to causes, the deaths numbered—1 under Smallpox, 1 under Typhoid, 2 under Other Fevers, 5 under Phthisis, 19 under Dysentery and Diarrhœa and 99 under all other causes. The reported mortality was normal.

During the week, the Civil and Military Station, Bangalore, returned 66 deaths for four days (14 in hospitals), representing a calculated death-rate of 40·5 (31·9 excluding hospital deaths), per mille of population as against 30·5 for the corresponding week of last year. Classified according to causes, the deaths were Broncho-Pneumonia 4, Pneumonia 5, Typhoid 1, Phthisis 3, Dysentery and Diarrhœa 9, and all other causes 44. The reported mortality was normal.

The total mortality for Mysore City was 83 (23 in hospitals), representing a calculated death-rate of 33·5 (24·2 excluding hospital deaths) per mille of population as against 31·2 for the corresponding week of last year. Classified according to causes, the deaths were—Smallpox 2, Malaria 2, Typhoid 2, other Fevers 1, Phthisis 7, Dysentery and Diarrhœa 7 and all other causes 62. The reported mortality was normal.

There were 58 deaths (12 in hospitals) from all causes in Kolar Gold Field Area equivalent to a calculated death-rate of 36·5 (28·9 excluding hospital deaths) per mille of population as against 23·8 for the corresponding week of last year. Classified according to causes, the deaths numbered—1 under Smallpox, 1 under Malaria, 5 under other fevers, 4 under Dysentery and Diarrhœa and 47 under all other causes. The reported mortality was normal.

E. R. SUNDARARAJAN,
For *Director*.